ONLINE TECHNICAL SPECIFICATION SHEET



QUARTZ PRESSURE TOOL - HD - 1 11/16 IN.





SKU: QPT001

Categories: Cased Hole Wireline, HD Platform™, Pressure, Production

Logging

PRODUCT DESCRIPTION

The Quartz Pressure Tool (QPT001) utilizes a precision digital quartz pressure transducer to provide wellbore pressure and gauge temperature. This transducer provides a continuous measurement of well pressure during dynamic passes, or dynamic pressure build-ups or draw-downs.

Ratings & Dimensions

Max temperature 350°F (177°C)

 Max pressure
 15,000 psi (103.4 mPa)

 Outer diameter
 1.69 in (43.0 mm)

 Length
 21.25 in (540.0 mm)

 Weight
 9.5 lb (4.3 kg)

 Measure points
 4.2 in (106.0 mm)

Materials Corrosion resistant materials used throughout

Pressure Measurements

Maximum error0.02% Full ScaleResponse time< 1 second</th>Range0 - 15,000 psiDescription0.000 psi

Resolution 0.008 psi (55.16 mPa)

Drift < 3 psi (< 20.68 kPa) per year

Temperature Measurements

 Accuracy
 $0.27^{\circ}F$ ($0.15^{\circ}C$)

 Resolution
 $0.009^{\circ}F$ (< $0.005^{\circ}C$)

 Drift
 $< 0.1^{\circ}C$ /year at 177°C



ONLINE TECHNICAL SPECIFICATION SHEET



Reference clock drift <1 ppm /year at 177°C

Hardware Characteristics

Combinability All HD tools (RADii, iQ, PL, RAS, etc)

Acquisition Mode Real-time (with TCU) Memory (with MLT)

Electrical Specifications

 Voltage
 50V DC
 19V DC

 Current
 4.5 mA
 11 mA

Version Control: 2021.12.09

On-line specifications are for REFERENCE ONLY and subject to change without notice. DO NOT USE FOR FIELD OPERATIONS.